

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Glue Down	7. 25"x 48"	2mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
24	58	60	3,480













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.



















INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7. 16"x 48. 03"	5.3mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12	28. 68	55	1577. 41













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.













	HomeLike Great Value	HomeLike Select USA	HomeLike Pro	HomeLike Pro	HomeLike Premium	HomeLike Premium	HomeLike Premium
Identification	Glue Down Luxury Vinyl	Rigid Core Made In USA	Rigid Core Pro	Rigid Core Pro Max	Rigid Core Signature	WPC Engineered Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?							0
ScratchGuard Finish?					SHIELD4MAXTM		
Suitable for Commercial Use ?							
Pad Attached	0						0
EIR Emboss?	0	0					
Painted Bevel?	0	0				0	
Pressed Bevel?	0	0	0	0	0	•	0
Extra Large Planks?	0	0	0			Ø	0
Overall Thickness	2mm	5.5mm	5.5mm	6.5mm	8mm	8mm	12mm
Wear layer	12mil	20mil	20mil	20mil	28mil	20mil	AC3





INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER	
Click	7. 09"x 48. 03"	5.5mm	20mil	
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET	
10	23.64	55	1300.20	













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.




Production designed to a sustainable environment.
ZERO trees used.









INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.16" x 48.03"		20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
10	23.9	65	1553.5













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.




Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.











Flooring Your Dream House 100% WATERPROOF LIFETIME

Rigid Core ProPR423 Gray Mountain

INSTALLATION	PLANK SIZE	PLANK SIZE OVERALL THICKNESS	
Click		5.5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12		66	1584













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.









INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9.05"x 60"	6.5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
	22.64	48	1086.72













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.









INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9.06" x 60"	8mm	28mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
5	18.87	52	981.24



























INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.09"x 59.84"	8mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
8	23.56	65	1531.4













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.

















	HomeLike Great Value	HomeLike Select USA	HomeLike Pro	HomeLike Pro	HomeLike Premium	HomeLike Premium	HomeLike Premium
Identification	Glue Down Luxury Vinyl	Rigid Core Made In USA	Rigid Core Pro	Rigid Core Pro Max	Rigid Core Signature	WPC Engineered Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?						Ø	0
ScratchGuard Finish?					SHIELD4MAXTM	Ø	
Suitable for Commercial Use ?						Ø	
Pad Attached	0					Ø	0
EIR Emboss?	0	0				Ø	
Painted Bevel?	0	0			Ø	0	
Pressed Bevel?	0	0	0	0	0	⊘	0
Extra Large Planks?	0	0	0	Ø	Ø	Ø	0
Overall Thickness	2mm	5.5mm	5.5mm	6.5mm	8mm	8mm	12mm
Wear layer	12mil	20mil	20mil	20mil	28mil	20mil	AC3





INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.67"x 47.83"	12mm	
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
6	15.3	65	994.5













FloorScore certified for indoor air quality, free of phthalate, formaldehyde and VOC emissions.



Durable protection against indentation, stains, and scratches.



Impeding microorganisms growth, long term protection against bacteria, fungi, and molds.



Resistant to fire damage and won't assist the spread of fires.



Production designed to a sustainable environment. ZERO trees used.













	HomeLike Great Value	HomeLike Select USA	HomeLike Pro	HomeLike Pro	HomeLike Premium	HomeLike Premium	HomeLike Premium
Identification	Glue Down Luxury Vinyl	Rigid Core Made In USA	Rigid Core Pro	Rigid Core Pro Max	Rigid Core Signature	WPC Engineered Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?						Ø	0
ScratchGuard Finish?					SHIELD4MAXTM	Ø	
Suitable for Commercial Use ?						Ø	
Pad Attached	0					Ø	0
EIR Emboss?	0	0				Ø	
Painted Bevel?	0	0			Ø	0	
Pressed Bevel?	0	0	0	0	0	⊘	0
Extra Large Planks?	0	0	0	Ø	Ø	Ø	0
Overall Thickness	2mm	5.5mm	5.5mm	6.5mm	8mm	8mm	12mm
Wear layer	12mil	20mil	20mil	20mil	28mil	20mil	AC3

