













HOMELIKE

www.homelikeflooring.com

CONTENT

HOMELIKE BRAND

(GD) - GLUE DOWN LUXURY VINYL 2MM 12MIL 03

(SU) – SELECT USA RIGID CORE 5.5MM 20MIL 05

(PR) – RIGID CORE PRO STONE 5.5MM 20MIL 07

(PM) – RIGID CORE PRO MAX 6.5MM 20MIL 09

(PA) – PREMIUM RIGID CORE 8MM 28MIL SHIELD4MAX™ 11

(PU) – PREMIUM WPC ENGINEERED VINYL 8MM 20MIL 13

(PL) – PREMIUM WATER-RESISTANT LAMINATE 12MM AC3 15

GENERIC COLLECTIONS

(CC) – RIGID CORE LUXURY VINYL 5.0MM 12MIL 17

(AR) – RIGID CORE LUXURY VINYL 5.0MM 20MIL 19

(AA) – RIGID CORE LUXURY VINYL 6.5MM 22MIL 23

(WG) – WPC ENGINEERED VINYL 8.0MM 20MIL 25

ACCESSORIES – TRANSITIONS 27

COMPANY INTRODUCTION 32

	HomeLike Great Value	HomeLike Select USA	HomeLike Pro	HomeLike Pro	HomeLike Premium	HomeLike Premium	HomeLike Premium
Identification	Glue Down Luxury Vinyl	Rigid Core Made In USA	Rigid Core Pro	Rigid Core Pro Max	Rigid Core Signature	WPC Engineered Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	✓	✓	✓	✓	✓	✓	○
ScratchGuard Finish?	✓	✓	✓	✓	SHIELD4MAX™	✓	✓
Suitable for Commercial Use ?	✓	✓	✓	✓	✓	✓	✓
Pad Attached	○	✓	✓	✓	✓	✓	○
EIR Emboss?	○	○	✓	✓	✓	✓	✓
Painted Bevel?	○	○	✓	✓	✓	○	✓
Pressed Bevel?	○	○	○	○	○	✓	○
Extra Large Planks?	○	○	○	✓	✓	✓	○
Overall Thickness	2mm	5.5mm	5.5mm	6.5mm	8mm	8mm	12mm
Wear layer	12mil	20mil	20mil	20mil	28mil	20mil	AC3

WATERPROOF — Resistant to water & moisture, won’ t swell, peel or buckle when exposed.

ANTI-MICROBIAL SURFACE — Impeding microorganisms growth,long term protection against bacteria, fungi, and molds.

PHTHALATE FREE — FloorScore certified for indoor air quality, free of phthalates, formaldehyde and VOC emissions.

FIRE RESISTANT — Resistant to fire damage and won't assist the spread of fires.

NANO SILVER COATING — Durable protection against indentation, stains, and scratches.

LOW CARBON — Production designed to a sustainable environment. ZERO trees used.

GD



Glue Down Luxury Vinyl Plank

100% WATERPROOF LIFETIME

GD104 Blue Ridge

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Glue Down	7.25"x48"	2mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
24	58	60	3,480

floor score
CERTIFIED BY SCS Global Services

PHTHALATE FREE

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 10 yr. WARRANTY


GD101 Moccasin Creek


GD102 Stone Mountain


GD103 Cloudland Canyon


GD104 Blue Ridge


GD105 Indian Springs


GD106 Tallulah Gorge



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

SU309 Cherry Point

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.09"x48.03"	5.5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
10	23.64	55	1300.20

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 15yr. WARRANTY


SU301 Logging Camp


SU302 Parris Island


SU303 Cumberland


SU304 Catalina


SU305 Lake Lanier


SU306 Petrified Forest


SU307 Everstill Forest


SU308 Oceanside


SU309 Cherry Point


SU310 Kaneohe Bay


SU311 Northshire


SU312 River View

PR STONE



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

PR422 West Cliffe

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	12"x24"	5.5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12	24	66	1584

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 15yr. WARRANTY



PR421 Rock River



PR422 West Cliffe



PR423 Gray Mountain



PR424 Glacier Gorge

PM



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

PM501 Olympic

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9.05"x60"	6.5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
6	22.64	48	1086.72

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 15yr. WARRANTY


PM501 Olympic


PM502 Austin


PM503 Glacier Lake


PM504 Rocky Mountain


PM505 Denali Sands


PM506 Caspian


PM507 Lake House


PM508 Sierra Forest

PA



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

PA804 Reina Oak

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9.06"x60"	8mm	28mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
5	18.87	52	981.24


PA801 Coastal Dunes


PA802 Royal Sands


PA803 Prestige Oak


PA804 Reina Oak


PA805 Winery Oak


PA806 Melrose


PA807 Chardonnay


PA808 Biltmore


PA809 Barrel Oak















WPC Engineered Vinyl Plank

100% WATERPROOF LIFETIME

PU601 Bonita Springs

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.09"x59.84"	8mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
8	23.56	65	1531.4


PU601 Bonita Springs


PU602 Gallatin Forest


PU603 Cherokee


PU604 Kobuk Valley


PU605 Smokey Mountain


PU606 Florence


PU607 Montana


PU608 Ventura

● **Pressed Bevels for Realistic Aesthetics**
A revolutionary technique that presses the edges of each plank uniformly to enhance realism, depth and dimension, presenting a more authentic wood-look and luxurious appearance.

● **Comfortable Underfoot**
The 8mm thickness and three-layer engineered composite structure provide a highly comfortable, cushioned feel underfoot, along with added sound insulation, which is often a desirable feature in high-end residential spaces.

● **Excellent Sound Absorption**
The thickness and composite structure of PU collection, along with added padding, provide effective sound insulation, reducing noise in multi-level buildings and busy areas.

● **Pet and Kid Friendly**
Certified by GreenGuardGold and FloorScore Indoor Air Quality (free of formaldehyde, phthalates, VOC and heavy metals), along with durability, scratch resistance, and waterproof features make it well-suited for households with pets and children, as it withstands spills, claws, and play.



PL

Water Resistant Laminate

WATER RESISTANT LIFETIME

PL701 White Cliffs

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.67"x47.83"	12mm	AC3
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
6	15.3	65	994.5

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 10 yr. WARRANTY


PL701 White Cliffs


PL702 Mountain Lodge


PL703 Ridge Manor


PL704 Palm Harbor


PL705 Aurland Lodge


PL706 Naroy Lodge

● WATER RESISTANT
Constructed with premium black spruce core technology, enhanced with denser, higher water-resistant performance up to 72 hrs with moisture and water spills.

● SUPER SCRATCH FREE
Proprietary superior scratch free technology provides you with the most desirable choice of water defense and surface guard flooring style.

● LARGE INSTALLATIONS
HomeLike strikes for a revolutionary fashion forward flooring solution enabling the collection 55% more dimensionally stable than standard laminate core, which allows you to install in rooms as large as 4,000 square feet without use of transition or expansion moldings, even through doorways.

● EASY CARE
Enlightened by it's high water resistance performance, you can super easily wet mop and clean the floor with all purposes cleaners!

● FAMILY FRIENDLY
Both CA-CARB Phase II certified and FloorScore Indoor Air Quality certified, protecting your family members to breathe freshly in everday life.

CC



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

CC001 Laurel Springs

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.17"x48.03"	5mm	12mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
12	28.68	55	1577

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 10 yr. WARRANTY


CC001 Laurel Springs


CC002 Sandy Point


CC003 Harmony


CC004 Golden Coast


CC005 Hope Springs


CC006 Rosemary


CC007 Heritage


CC008 Redwood Falls


CC009 Clear Lake


CC010 Avalon


CC011 Regent


CC012 Timber Lake



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

AR134 Placid Cabin

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	7.09"x48.03"	5mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
10	23.64	55	1300.20

floor score
CERTIFIED BY SCS Global Services

GREENGUARD GOLD

LIMITED RESIDENTIAL LIFETIME WARRANTY

LIMITED COMMERCIAL 15yr. WARRANTY


AR101 Nightfall Hills


AR103 Vintage Cabin


AR104 Natural Oak


AR105 Classic Lodge


AR106 Golden Pine


AR108 Berkley Oak


AR111 Sierra Sands


AR114 Rock Ferry


AR115 Fountain Hills


AR117 Vintage Hickory


AR118 Mill Creek


AR126 Sterling Oak


AR130 Lighthouse Bay


AR131 Brookfield


AR133 Canal Point


AR134 Placid cabin


AR135 Logging Camp Lite


AR136 Everstill Forest Lite


AR137 Cherry Point Lite


AR138 River View Lite


AR139 Kaneohe Bay Lite


AR140 Catalina Lite


AR141 Petrified Forest Lite


AR142 Lake Lanier Lite


AR143 Cumberland Lite


AR144 Northshire Lite


AR145 Parris Island Lite


AR146 Oceanside Lite


AR147 Sandy Plains


AR151 Redwood Forest


AR168 Mount Pleasant


AR169 Cambridge


AR170 Carolina Hickory


AR171 Monterrey


AR172 Stanford Oak


AR173 Ruby Falls



Rigid Core Luxury Vinyl Plank

100% WATERPROOF LIFETIME

AA003 Mount Pleasant

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	9"x60"	6.5mm	22mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
6	22.44	52	1166.88


AA001 Lake Lanier


AA002 Kaneohe Bay


AA003 Mount Pleasant


AA004 Carolina Hickory


AA005 Monterrey


AA006 Brookfield


AA007 Placid Cabin


AA008 Berkley Oak



WPC Engineered Vinyl Plank

100% WATERPROOF LIFETIME

WG007 Springbrook

SPECIFICATIONS

INSTALLATION	PLANK SIZE	OVERALL THICKNESS	WEAR LAYER
Click	8.98"x60"	8mm	20mil
PLANK/BOX	SQFT/BOX	BOXES/PALLET	SQFT/PALLET
8	29.92	44	1317


WG001 Ewa Beach


WG002 Belmont


WG003 Cheyenne


WG004 Lincoln


WG005 Fairview Installed


WG006 Wyndmere


WG007 Springbrook


WG008 Gold Creek

T-molding



T-molding serves to cover the expansion gaps needed in a floating floor installation by bridging the space between two even surfaces. The low profile height and width bring a polished look to the job. They are highly wear resistant and 100% waterproof. The profile shown above is compatible with the AR line. Dimensions may vary to accommodate planks with different specifications.



Reducer



Reducer is the solution in locations where flooring of different heights meet together and a gentle slope is needed to bridge the two surfaces. 100% waterproof PVC construction. The profile shown above is compatible with the AR line. Dimensions may vary to accommodate planks with different specifications.



Stair Nose

Flush Stair Nose:



Stair Nose is 100% waterproof, can be installed as flush mounted. This versatile finished edge stair nose provides a solution for most staircase applications. The surface coating is made from reinforced polyurethane so the stairs continue to be eye catching for years to come. The profile shown above is compatible with the AR line. Dimensions may vary to accommodate planks with different specifications.



Full Step Stair Tread
Available for GV/SU/PM/PA/AR/AA/CC/SC, and PR wood emboss



Full Step Stair Tread is an innovative, all-in-one integrated stair tread and nose, crafted from actual rigid vinyl planks. It features a straightforward, user-friendly installation, completing your stairs as a full step while providing a perfect match & natural look to the original flooring material.
Full Step Stair Tread is available now for GV/SU/PM/PA/AR/AA/CC/SC and PR wood emboss.


overhanging nosing


WITHOUT overhanging nosing

	Homelike#01	Homelike#02	Homelike Big #016
			
Display Dimensions	1214mm x 600mm x 2100mm Rack 48“ x 24" x 83" Rack	970mm x 600mm x 2100mm Rack 38" x 24" x 83" Rack	1350mm x 635mm x 2060mm Rack 53" x 25" x 81" Rack
Board Size	450*600mm	450*600mm	540*1500mm left side 16 slot 540*495mm right side 48 slot
Slot Qty	30 slots	30 slots	64 slots

AR (5mm/20mil Rigid Core) Made-in-USA

Incl. 3 racks, 36 display boards



Each Display W*D*H = 30" x 32" x 63"
Each Display 12 slots

CC (5mm/12mil Rigid Core)

Incl. 1 rack, 12 display boards



Each Display W*D*H = 30" x 32" x 43"
Each Display 12 slots

WG (8mm/20mil WPC Engineered Vinyl)

Incl. 1 rack, 8 display boards



Each Display W*D*H = 30" x 32" x 54"
Each Display 8 slots

Strap sets of all runningline collections are available, contact your sales rep/customer service to place an order!
For more information, please visit: www.homelikeflooring.com





HomeLike is a factory-owned brand with manufacturing operations in both the United States and overseas.

All HomeLike products are crafted in our self-owned facilities, ensuring comprehensive quality control, vertical operational efficiency, and a strong commitment to sustainability throughout the production processes.



Headquartered in Adairsville, Georgia,HomeLike's mission is to partner with local distributors and dealers to deliver premium vinyl and laminate flooring to American consumers at affordable prices.

By the end of 2024, HomeLike has established a robust network of over 500 active distribution partners, spanning the nation from Montana to Florida, from Maine to California.

These partners are supported by a highly dedicated local customer service team, built on the core values of Integrity and Dedication to create value for customers.

HOMELIKE
www.homelikeflooring.com

WHICH PRODUCT LINE IS RIGHT FOR YOU

Identification	HomeLike Great Value	HomeLike Select USA	HomeLike Pro	HomeLike Pro	HomeLike Premium	HomeLike Premium	HomeLike Premium
	Glue Down Luxury Vinyl	Rigid Core Made In USA	Rigid Core Pro	Rigid Core Pro Max	Rigid Core Signature	WPC Engineered Vinyl	Water Resistant Laminate
Installation	Glue Down	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC	UNICLIC
Waterproof?	✓	✓	✓	✓	✓	✓	○
ScratchGuard Finish?	✓	✓	✓	✓	SHIELD4MAX™	✓	✓
Suitable for Commercial Use ?	✓	✓	✓	✓	✓	✓	✓
Pad Attached	○	✓	✓	✓	✓	✓	○
EIR Emboss?	○	○	✓	✓	✓	✓	✓
Painted Bevel?	○	○	✓	✓	✓	○	✓
Pressed Bevel?	○	○	○	○	○	✓	○
Extra Large Planks?	○	○	○	✓	✓	✓	○
Overall Thickness	2mm	5.5mm	5.5mm	6.5mm	8mm	8mm	12mm
Wear layer	12mil	20mil	20mil	20mil	28mil	20mil	AC3

GREENGUARD GOLD · floor score · WATERPROOF · PHTHALATE FREE · ANTI BACTERIAL · LOW CARBON

www.homelikeflooring.com